

Embraco Condensing Unit R404a HBP 8.77CC Nominal Capacity 1302W

Product Code: UNEK6210GK FL

PRODUCT DESCRIPTION

r404a hbp 220-240v 50hz csir 8.77cc 1302w @ 7.2/32c evap/amb complete with receiver and valves flare

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Shrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNEK Features and Benefits

- Low sound level
- Low vibrations
- High reliability in severe working conditions

Application: LBP, M/HBP for R-134a, R-404A and R-290

Compressors from 7,3cc to 16,8cc

Embraco Condensing Unit R404a HBP 14.28CC Nominal Capacity 1985W

Product Code: UNEK6217GK FL

PRODUCT DESCRIPTION

**r404a hbp 220-240v 50hz csr 14.28cc 2430w @ 7.2/32c
evap/amb complete with receiver and valves flare**

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Shrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNEK Features and Benefits

- Low sound level
- Low vibrations
- High reliability in severe working conditions

Application: LBP, M/HBP for R-134a, R-404A and R-290

Compressors from 7,3cc to 16,8cc

Embraco Condensing Unit R404a HBP 17.39CC Nominal Capacity 2390W

Product Code: UNT6222GK SOL

PRODUCT DESCRIPTION

r404a 220-240v 50hz 1 phase 17.39cc complete with receiver and solder valve connection

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Schrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNT Features and Benefits

- High efficiency level
- High cooling capacity at low evaporating temperatures
- Very low sound level

Application: LBP, M/HBP for R-134a and R-404A

Compressors from 12,6cc to 22,4cc

Embraco Condensing Unit R404a HBP 21.71CC Nominal Capacity 3141W

Product Code: UNJ9226GK ODS

PRODUCT DESCRIPTION

**r404a hbp 230v 50hz csr 21.71cc 3797w @ 7.2/32c
evap/amb complete with receiver and valves ods
connection 1m cable**

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Shrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNJ Features and Benefits

- Small size platform
- High energy efficiency
- Reduced noise level

Application: LBP, M/HBP for R-134a and R-404A

Compressors from 21,7cc to 34,4cc

Embraco Condensing Unit R404a HBP 22.37CC Nominal Capacity 3016W

Product Code: UNT6226GK ODS

PRODUCT DESCRIPTION

**r404a hbp 220-240v 50hz csr 22.37cc 3773w @ 7.2/32c
evap/amb complete with receiver and valves ods
connection 1m cable**

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Shrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNT Features and Benefits

- High efficiency level
- High cooling capacity at low evaporating temperatures
- Very low sound level

Application: LBP, M/HBP for R-134a and R-404A

Compressors from 12,6cc to 22,4cc

Embraco Condensing Unit R404a HBP 26.11CC Nominal Capacity 3474W

Product Code: UNJ9232GK ODS

PRODUCT DESCRIPTION

**r404a hbp 220-240v 50hz csr 26.11cc 4721w @ 7.2/32c
evap/amb complete with receiver and valves ods
connection 1m cable**

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Shrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNJ Features and Benefits

- Small size platform
- High energy efficiency
- Reduced noise level

Application: LBP, M/HBP for R-134a and R-404A

Compressors from 21,7cc to 34,4cc

Embraco Condensing Unit R404a HBP 32.67CC Nominal Capacity 4104W

Product Code: UNJ9238GK ODS

PRODUCT DESCRIPTION

**r404a hbp 230v 50hz csr 32.67cc 5412w @ 7.2/32c
evap/amb complete with receiver and valves ods**

Full range from 1/7 Hp up to 1,5 Hp for R-134a, R-404A and R-290 applications.

Different configurations available: with/without Service Valves (suction/discharge) and with/without Liquid Receiver. Various options available: Liquid Line, Shrader Valve on process port, Pressure Control, Double Fan Condenser, etc...) Gemini version with double compressor available too.

UNJ Features and Benefits

- Small size platform
- High energy efficiency
- Reduced noise level

Application: LBP, M/HBP for R-134a and R-404A

Compressors from 21,7cc to 34,4cc